

**=> IFW: Scan as Doc Code: SRNT <=
 Doc Date:**

TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number: 10827311

**1.) See attached printout of inventors listed in
PALM**

**2.) See attached EAST Inventor Search
Printout shows Inventor search terms**

Day : Thursday
Date: 3/16/2006

Time: 16:25:06

 PALM INTRANET

Inventor Information for 10/827311

Inventor Name	City	State/Country
MORIYAMA, NOBUYUKI	AICHI	JAPAN
MAWATARI, KAZUHITO	AICHI	JAPAN
MIZUTANI, FUMIHIRO	AICHI	JAPAN
KUNO, YUKINOBU	AICHI	JAPAN
MATSUMOTO, KATSUYA	AICHI	JAPAN
KOIKE, MASARU	AICHI	JAPAN

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity Data](#)[Foreign Data](#)

Search Another: Application#

or Patent#

PCT / /

or PG PUBS #

Attorney Docket #

Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

US 20010005641 A1	US- PGPUB	20010628	Portable electronic device comprising common serial bus connector	439/1	700/66	Matsumoto, Katsuyuki et al.
US 20010005878 A1	US- PGPUB	20010628	Data reproduction device	711/154		Sasaki, Tsutomu et al.
US 20010006884 A1	US- PGPUB	20010705	Portable electronic device	455/1	700/22	Matsumoto, Katsuyuki
US 20010016050 A1	US- PGPUB	20010823	Apparatus for detecting markings on opposite end faces of a wood block	382/100		Koike, Masaru
US 20010052960 A1	US- PGPUB	20011220	Liquid crystal display device	349/155		Saito, Katsutoshi et al.
US 20020008800 A1	US- PGPUB	20020124	Reflective type liquid crystal display device	349/44		Matsumoto, Katsumi et al.
US 20020033790 A1	US- PGPUB	20020321	Liquid crystal light valve and projection type liquid crystal display using such valve	345/90		Sato, Hideo et al.
US 20020050626 A1	US- PGPUB	20020502	Semiconductor device and manufacturing method therefor	257/531	257/E21.022; 257/E27.046; 438/381	Onuma, Norihiro et al.
US 20020066955 A1	US- PGPUB	20020606	Semiconductor device, manufacturing method thereof and mounting board	257/720	257/E23.055; 257/E23.065; 257/E23.069; 257/E23.08; 257/E23.101; 257/E23.109; 257/E23.111; 257/E23.119; 257/E23.135; 257/E23.14	Shibamoto, Masanori et al.
US 20020105070 A1	US- PGPUB	20020808	Semiconductor device, manufacturing method thereof and mounting board	257/712		Shibamoto, Masanori et al.
US 20020130829 A1	US- PGPUB	20020919	Liquid crystal display device having a low-voltage driving circuit	345/87		Ilda, Haruhisa et al.
US 20020158828 A1	US- PGPUB	20021031	Liquid crystal display device having a gray-scale voltage selector circuit	345/89		Isami, Hironobu et al.
US 20020192590 A1	US- PGPUB	20021219	Lithographic printing plate	430/270.1	430/302; 430/944	Mase, Hiroshi et al.
US 20030004838 A1	US- PGPUB	20030102	Information search system, information search method, call center system, server and information search apparatus	705/27		Kusuda, Rika et al.
US 20030045863 A1	US- PGPUB	20030306	Cosmetic paper	604/540	604/367; 604/375	Sadaoka, Toshihiro et al.
US 20030160578	US- PGPUB	20030828	Apparatus for lighting a discharge lamp at electric characteristics	315/291	315/224	Matsumoto, Katsunori et al.

A1			appropriate to a type of the discharge lamp			
US 20040004595 A1	US-PGPUB	20040108	Liquid crystal display device having stabilized drive circuit	345/89		Isami, Hironobu et al.
US 20040050452 A1	US-PGPUB	20040318	PERIPHERALLY DRIVEN VENEER LATHE	144/213		Koike, Masaru
US 20040087708 A1	US-PGPUB	20040506	Master batch and toner for use in electrophotography	524/495	430/108.9	Fujita, Sayaka et al.
US 20040187985 A1	US-PGPUB	20040930	Al-Mg-Si alloy sheet excellent in surface properties, manufacturing method thereof, and intermediate material in the manufacturing thereof	148/692	148/440	Matsumoto, Katsushi et al.
US 20040203527 A1	US-PGPUB	20041014	Mobile communication terminal with rotational display unit	455/90.3	455/566; 455/575.1	Matsumoto, Katsumi
US 20040211490 A1	US-PGPUB	20041028	Method and apparatus for centering a log	144/340	144/208.1	Moriyama, Nobuyuki et al.
US 20040263711 A1	US-PGPUB	20041230	Reflective type liquid crystal display device	349/44	349/110	Matsumoto, Katsumi et al.
US 20050007508 A1	US-PGPUB	20050113	Display device having an improved through-hole connection	349/38		Saitou, Kazunari et al.
US 20050024312 A1	US-PGPUB	20050203	Liquid crystal display device having a gray-scale voltage selector circuit	345/89		Isami, Hironobu et al.
US 20050104835 A1	US-PGPUB	20050519	Method for driving a liquid crystal display device	345/96		Misonou, Toshiki et al.
US 20050139287 A1	US-PGPUB	20050630	Veneer lathe and method of cutting wood block by the veneer lathe	144/332	144/209.1	Koike, Masaru
US 20050241051 A1	US-PGPUB	20051103	Swimming goggles	2/426		Matsumoto, Katsumi et al.
US 20050274776 A1	US-PGPUB	20051215	Dissimilar material weld joint formed by joining iron type material and aluminum type material, and weld joining method	228/262.4	228/262.5	Takeda, Mikako et al.
US 20050280620 A1	US-PGPUB	20051222	Liquid crystal display device having a low-voltage driving circuit	345/90		Iida, Haruhisa et al.
US 3642340 A	USPAT	19720215	HIGH-PRESSURE METAL VAPOR DISCHARGE LAMP	445/43		Yamane; Mikiya et al.
US 4160565 A	USPAT	19790710	Seat belt device	297/483	297/468	Matsumoto; Katsuhiko
US 4163075 A	USPAT	19790731	Electric discharge recording material	428/328	347/113; 428/323; 428/469; 428/913; 428/914	Nakano; Shiro et al.

US 4192545 A	USPAT	19800311	Seat-back frame for an automotive vehicle	297/216.13	297/483	Higuchi; Kazuo et al.
US 4228433 A	USPAT	19801014	Information display position-defining circuit for a cathode ray tube	345/18	345/25; 348/500; 348/589	Matsumoto; Katsumi
US 4234024 A	USPAT	19801118	Veneer lathe	144/213		Koike; Masaru
US 4245245 A	USPAT	19810113	Interactive CATV system	380/211	380/231; 380/242; 725/108; 725/114; 725/131; 725/31; 725/80; 725/86	Matsumoto; Katsuaki et al.
US 4264913 A	USPAT	19810428	Electric discharge recording method and material with non-recording layer	346/150.2	346/135.1; 347/159	Nakano; Shiro et al.
US 4423678 A	USPAT	19840103	Apparatus for engaging impression cylinder	101/248	101/283	Matsumoto; Katsutoshi
US 4442876 A	USPAT	19840417	Apparatus for drying veneer sheet	144/2.1	144/362; 144/380; 34/114; 34/116	Koike; Masaru et al.
US 4454810 A	USPAT	19840619	Apparatus for lithography or intaglio printing	101/141	101/153	Matsumoto; Katsutoshi
US 4469154 A	USPAT	19840904	Tenderizing device	144/2.1	100/153; 144/209.1	Koike; Masaru et al.
US 4473099 A	USPAT	19840925	Method and apparatus for drying veneer sheet	144/364	144/209.1; 144/362; 144/369; 34/116	Koike; Masaru et al.
US 4476782 A	USPAT	19841016	Method for glazing printing area in thick printing	101/450.1	101/490; 118/60; 427/271; 427/287	Matsumoto; Katsutoshi
US 4486963 A	USPAT	19841211	Method and apparatus for drying veneer sheet	34/116	34/117; 34/120; 34/123	Koike; Masaru et al.
US 4515162 A	USPAT	19850507	Electrode pad	600/391	252/500; 600/397	Yamamoto; Katsuhiro et al.
US 4522123 A	USPAT	19850611	Pinhole removal device in printing	101/349.1	118/262	Matsumoto; Katsutoshi
US 4566384 A	USPAT	19860128	Intaglio printing plate and printing method	101/170	101/150; 101/395	Matsumoto; Katsutoshi
US 4575396 A	USPAT	19860311	Process and blasting media for deflashing articles	134/7	451/40; 51/298; 51/308	Matsumoto; Katsuaki et al.
US 4614114 A	USPAT	19860930	Measuring device	73/313		Matsumoto; Katsutake et al.
US 4626718 A	USPAT	19861202	Rotary solenoid for intermittent ink ribbon feeding	310/37	400/225	Moriyama; Nobuyuki
US 4639628 A	USPAT	19870127	Small size motor	310/194	310/40MM; 310/71	Kobayashi; Toshiji et al.
US 4649442	USPAT	19870310	Automatic program selector of a	360/72.2	360/74.4	Kunii; Hideo et al.

A			video tape recorder			
US 4666465 A	USPAT	19870519	Process for manufacturing fine blasting media for use in wet blasting	51/293	134/7; 51/295; 51/298; 51/308	Matsumoto; Katsuaki et al.
US 4728764 A	USPAT	19880301	Apparatus for detecting discharge gap in electric discharge machining	219/69.16	219/69.13	Matsumoto; Katsuhiro et al.
US 4734320 A	USPAT	19880329	Stretchable cloth adhesive tape	428/40.1	156/160; 156/163; 602/75	Ohira; Osamu et al.
US 4736185 A	USPAT	19880405	Digital display apparatus	340/450	340/525	Matsumoto; Katsutake et al.
US 4830633 A	USPAT	19890516	Depilation method	8/160	8/161	Hori; Yutaka et al.
US 4847696 A	USPAT	19890711	System with a timer screen, for reserving the recording of TV programs	386/83	968/977; 968/DIG.1	Matsumoto; Katsumi et al.
US 4879039 A	USPAT	19891107	Process for measuring stable-type glycyated hemoglobin in a sample	210/635	210/656; 436/161; 436/175; 436/178; 436/67; 530/385; 530/417	Takahashi; Hiroaki et al.
US 4901777 A	USPAT	19900220	Veneer lathe	144/213	144/209.1; 144/365	Koike; Masaru
US 4962043 A	USPAT	19901009	Simplified detection implement	436/165	422/57; 422/58; 435/805; 436/147; 436/166; 436/169; 436/170; 436/2; 436/808	Nagase; Moriharu et al.
US 5004546 A	USPAT	19910402	Process for measuring stable-type glycyated hemoglobin in a sample	210/635	210/656; 436/161; 436/175; 436/178; 436/67; 530/385; 530/417	Takahashi; Hiroaki et al.
US 5018561 A	USPAT	19910528	Veneer lathe	144/213	144/209.1; 144/356; 144/365	Shimosaka; Satoru et al.
US 5185050 A	USPAT	19930209	Apparatus for cutting opposed irregularly shaped ends of veneers and bonding the veneers together at inclined end faces thereof formed by the cutting of the opposed irregularly shaped ends	156/304.5	144/345; 156/303; 156/502	Sakamoto; Shinichi et al.
US 5241667 A	USPAT	19930831	Electronic equipment controlling apparatus utilizing reference clock generator means	713/600		Matsumoto; Katsumi
US 5242634	USPAT	19930907	Method of producing open-cell	264/420	264/321;	Matsumoto; Katsuya

A			foams of cross-linked polyolefins		264/51; 264/55	et al.
US 5280511 A	USPAT	19940118	Output circuit for a CCD with cascode depletion MOSFET loads and a feedback capacitor	377/60	327/51; 377/59	Fujii; Tatsuhisa et al.
US 5284973 A	USPAT	19940208	Method of preparing an acid additional salt of delta-aminolevulinic acid	562/567		Ebata; Takashi et al.
US 5285437 A	USPAT	19940208	Audio device having control function with use of card	369/64		Yokota; Tokuo et al.
US 5289572 A	USPAT	19940222	Electronic map combined with user service information	715/855	345/902; 715/962	Yano; Haruto et al.
US 5322955 A	USPAT	19940621	Method of manufacturing 3-DPA-lactone	549/313		Matsumoto; Katsuya et al.
US 5341262 A	USPAT	19940823	Magnetic data storage and retrieval system with provision for preventing condensation	360/128		Yamasaki; Hidenori et al.
US 5391769 A	USPAT	19950221	Method of preparing 3-DPA-lactone	549/313		Matsumoto; Katsuya et al.
US 5410038 A	USPAT	19950425	method of preparing D-altrose	536/124	536/1.11	Matsumoto; Katsuya et al.
US 5412111 A	USPAT	19950502	Method of preparing (3R,4R)-3-hydroxy-4-hydroxymethyl-4-butanolide	549/313		Matsumoto; Katsuya et al.
US 5416204 A	USPAT	19950516	Method for preparing 2'-3'-dideoxy-.beta.-nucleosides using 2,2-dideoxy-di(organothio)-pentofuranose intermediates	536/28.2	536/28.5; 536/28.51; 536/28.52; 536/28.53; 536/28.54; 536/28.55	Kawakami; Hiroshi et al.
US 5443585 A	USPAT	19950822	Gun drill	408/199	408/211; 408/223; 408/229; 408/705	Kawase; Haruo et al.
US 5447185 A	USPAT	19950905	Chip-replaceable nose bar and veneer peeling machine using the same	144/213	144/209.1	Koike; Masaru
US 5451689 A	USPAT	19950919	Method of preparing epoxide	549/386	549/299; 549/518; 549/520	Matsumoto; Katsuya et al.
US 5457192 A	USPAT	19951010	Method of manufacturing D-allosan	536/124	536/1.11	Matsumoto; Katsuya et al.
US 5468585 A	USPAT	19951121	Resin composition for use in an electrophotographic toner	430/108.2	430/109.3; 430/111.4; 525/213; 525/217; 525/218; 525/221; 525/222	Matsumoto; Katsuru et al.
US 5468881 A	USPAT	19951121	Method of producing cis-whiskey lactone	549/295	549/326	Ebata; Takashi et al.
US 5502110 A	USPAT	19960326	Resin composition for electrophotographic toner	525/221	525/205; 525/207; 525/214; 525/217;	Matsumoto; Katsuru et al.

					525/218; 525/223; 525/225; 525/226; 525/227; 525/228	
US 5539429 A	USPAT	19960723	Touch device panel	345/173	340/990; 340/995.15; 345/634; 345/641	Yano; Haruto et al.
US 5615743 A	USPAT	19970401	Fire extinguisher	169/74	169/71; 169/75; 222/5; 239/272	Matsumoto; Katsutoshi et al.
US 5630454 A	USPAT	19970520	Cutting blade holding device in veneer lathe	144/212	144/211	Koike; Masaru
US 5662151 A	USPAT	19970902	Veneer peeling knife and a method of fixing a knife adjusting bolt of said veneer peeling knife	144/365	144/209.1; 144/212; 144/329; 241/161	Koike; Masaru
US 5676190 A	USPAT	19971014	Fire extinguisher	169/74	169/71; 169/75; 222/5; 239/272	Matsumoto; Katsutoshi et al.
US 5787949 A	USPAT	19980804	Method of controlling feed in a spindleless veneer lathe and apparatus to which the method is applied	144/357	144/213; 144/365	Koike; Masaru et al.
US 5848649 A	USPAT	19981215	Fire extinguisher	169/26		Matsumoto; Katsutoshi et al.
US 5877105 A	USPAT	19990302	Alumina-zirconia sintered body, production thereof, and impact grinder using said alumina-zirconia sintered body	501/105	423/608; 423/625; 501/107; 501/127	Iwai; Akihito et al.
US 5950937 A	USPAT	19990914	Alumina-zirconia sintered body, production thereof, and impact grinder using said alumina-zirconia sintered body	241/27	241/188.2; 241/195; 241/291	Iwai; Akihito et al.
US 5988558 A	USPAT	19991123	Veneer reeling apparatus	242/534	242/541.5; 242/541.7; 242/547	Koike; Masaru et al.
US 6011119 A	USPAT	20000104	Resin composition for electrophotographic toner, and toner	525/221	430/109.3; 430/111.4; 430/904; 525/225	Matsumoto; Katsuru et al.
US 6081305 A	USPAT	20000627	Liquid crystal light valve and projection type liquid crystal display using such valve	349/5	349/111; 349/143; 349/42	Sato; Hideo et al.
US 6090479 A	USPAT	20000718	Shape-recoverable resin foamed product	428/304.4	428/308.4; 428/314.4; 428/318.6; 428/319.1; 428/319.3; 428/411.1; 428/423.1;	Shirato; Hitoshi et al.

					521/142; 521/146; 521/149; 521/155; 521/51	
US 6090892 A	USPAT	20000718	Redispersible polymer and production process thereof	525/212	525/218; 525/223	Ishida; Tadashi et al.
US 6104678 A	USPAT	20000815	Disk playback device and method of terminating playback of disk	369/30.36		Matsumoto; Katsuyuki et al.
US 6120301 A	USPAT	20000919	Semiconductor device and method of manufacturing the same	438/112	257/E21.504; 257/E23.067; 257/E23.069; 257/E23.07; 438/108; 438/123; 438/126	Ichitani; Masahiro et al.
US 6173918 B1	USPAT	20010116	Veneer reeling apparatus	242/534	242/541.3; 242/541.5; 242/541.6	Koike; Masaru et al.
US 6194792 B1	USPAT	20010227	Controller for automobile	307/10.1	307/109; 307/9.1	Yanou; Masayuki et al.
US 6206061 B1	USPAT	20010327	Veneer cutting machine and nose bar device therefor	144/213	144/209.1; 144/365	Koike; Masaru
US 6207711 B1	USPAT	20010327	Photoaging inhibitor and skin-care preparation	514/552	424/401	Matsumoto; Katsuo et al.
US 6208047 B1	USPAT	20010327	Motor	310/49R	310/254	Agematsu; Ikuo et al.
US 6231809 B1	USPAT	20010515	Al-Mg-Si aluminum alloy sheet for forming having good surface properties with controlled texture	420/535	148/438; 148/439; 148/440	Matsumoto; Katsushi et al.
US 6232939 B1	USPAT	20010515	Liquid crystal display apparatus including scanning circuit having bidirectional shift register stages	345/93	345/100; 345/559; 345/98	Saito; Katsutoshi et al.
US 6304308 B1	USPAT	20011016	Liquid crystal display device with optical shield film	349/155	349/110; 349/153; 349/156; 349/157	Saito; Katsutoshi et al.
US 6308549 B1	USPAT	20011030	Apparatus and method for forming spirally wound stator core or rotary electric machine	72/136	72/142	Tokizawa; Takashi et al.
US 6334916 B1	USPAT	20020101	Al-Mg-Si based alloy sheet	148/437	148/440	Matsumoto; Katsushi et al.
US 6338854 B1	USPAT	20020115	Photoaging skin-care preparation and method of treating wrinkled skin	424/401	514/552	Matsumoto; Katsuo et al.
US 6340677 B1	USPAT	20020122	Method of evaluation of skin conditioning-ameliorating agents and method of producing compositions for topical application to skin	514/169	427/2.11; 514/171; 514/557; 514/574	Nishimori; Yasutomo et al.
US 6357496 B1	USPAT	20020319	Veneer lathe	144/213	144/209.1; 144/365	Koike; Masaru
US 6373547 B1	USPAT	20020416	Liquid crystal display device having pole spacers formed over optical shield film	349/155	349/110; 349/153; 349/156; 349/157; 349/187	Saito; Katsutoshi et al.

US 6404049 B1	USPAT	20020611	Semiconductor device, manufacturing method thereof and mounting board	257/712	257/778; 257/E23.055; 257/E23.069; 257/E23.08; 257/E23.101; 257/E23.103; 257/E23.104; 257/E23.106; 257/E23.107; 257/E23.109; 257/E23.111; 257/E23.119; 257/E23.135; 257/E23.14	Shibamoto; Masanori et al.
US 6430143 B1	USPAT	20020806	Optical pickup device and optical disc recording and/or reproducing apparatus	720/671	369/78	Kajiyama; Yoshihiro et al.
US 6469210 B1	USPAT	20021022	Process for the preparation of phenylalkanoic acid amides and intermediates therefor	564/182	548/228; 562/444; 562/449; 562/450; 564/170	Taniguchi; Shuji et al.
US 6475575 B1	USPAT	20021105	Pellicle and method for manufacture thereof	428/14	430/5	Ikuta; Yoshiaki et al.
US 6501456 B1	USPAT	20021231	Liquid crystal display apparatus including scanning circuit having bidirectional shift register stages	345/98	345/100	Saito; Katsutoshi et al.
US 6515944 B1	USPAT	20030204	Disk playback device and method of continuously playing back disks without a break in sound reproduction	369/30.23	369/30.28	Yoshida; Masanao et al.
US 6563212 B2	USPAT	20030513	Semiconductor device	257/712	257/737; 257/778; 257/E23.055; 257/E23.065; 257/E23.069; 257/E23.08; 257/E23.101; 257/E23.109; 257/E23.111; 257/E23.119; 257/E23.135; 257/E23.14	Shibamoto; Masanori et al.
US 6621160 B2	USPAT	20030916	Semiconductor device and mounting board	257/712	257/778	Shibamoto; Masanori et al.
US 6701983 B1	USPAT	20040309	Peripherally driven veneer lathe	144/213	144/209.1; 144/365	Koike; Masaru
US 6765355 B2	USPAT	20040720	Apparatus for lighting a discharge lamp at electric characteristics appropriate to a type of the discharge lamp	315/307	315/224; 315/276	Matsumoto; Katsunori et al.
US 6778680 B2	USPAT	20040817	Apparatus for detecting markings on opposite end faces of a wood block	382/100	144/356; 144/382; 83/361; 83/364;	Koike; Masaru

					83/367; 83/520	
US 6784956 B2	USPAT	20040831	Reflective type liquid crystal display device	349/110	349/113; 349/44	Matsumoto; Katsumi et al.
US 6791521 B2	USPAT	20040914	Liquid crystal display device having a gray-scale voltage selector circuit	345/89	257/59; 345/100; 345/103; 345/690; 345/90; 345/92; 345/98; 345/99; 349/39; 349/42; 349/7; 386/65; 386/66	Isami; Hironobu et al.
US 6904488 B2	USPAT	20050607	Portable electronic device comprising common serial bus connector	710/313	700/66; 710/305; 710/73; 713/300; 713/320; 713/324; 713/330; 713/340	Matsumoto; Katsuyuki et al.
US 6904532 B2	USPAT	20050607	Portable electronic device	713/320	700/297; 713/300; 713/340	Matsumoto; Katsuyuki
US 6952246 B2	USPAT	20051004	Reflective type liquid crystal display device	349/110	349/113; 349/44	Matsumoto; Katsumi et al.
US 6961041 B2	USPAT	20051101	Liquid crystal display device having a low-voltage driving circuit	345/90	345/209; 345/210; 345/212	Iida; Haruhisa et al.